

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

monitor gather obtain collect data process age

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 325,000 for **monitor gather obtain collect data process agent software reconstruct modify pr**

Part II: Collecting and Using Qualitative Data

The users may be segmented to **obtain data** from specific user types, e.g., novice users ...

Degree to which users are required to be involved in the **process**. ...

www.ii.fsu.edu/~cmcclore/network/Part-II.html - 43k - [Cached](#) - [Similar pages](#)

[PDF] SNOW : software systems for process migration in high-performance ...

File Format: PDF/Adobe Acrobat

During **process** migration, the. augmented code invoke routines in this library to **collect**.

data values of live variables at a migration point. ...

ieeexplore.ieee.org/iel5/8062/22290/01039781.pdf - [Similar pages](#)

[PDF] A Value-Driven System for Autonomous Information Gathering

File Format: PDF/Adobe Acrobat - [View as HTML](#)

to schedule and **monitor** the information **gathering process**. ... But this **process** differs from **collecting data** in that we have some control ...

anytime.cs.umass.edu/shlomo/papers/jjis00.pdf - [Similar pages](#)

Network Monitor Software and Server Administrator Tools

It uses a combination of trace route, ping, and whois to **collect data** ... Description:

Process Monitor (PMON) can execute any of the following when a ...

www.adminfavorites.com/monitor/ - 379k - [Cached](#) - [Similar pages](#)

Anticipatory high frequency noise compensation in a distributed ...

A control system includes a measurement device capable of **gathering** high frequency

process parameter **data**, a modeling routine which uses the high frequency ...

www.freepatentsonline.com/7103426.html - 56k - [Cached](#) - [Similar pages](#)

Nayio - Your Music Video

If a user indicates that he or she is under the age of 13 then all personal **data** collected during the registration **process** is automatically deleted except ...

https://vmp.nayio.com/account/signup_step1.aspx - 40k - [Cached](#) - [Similar pages](#)

[PDF] Design and Implementation of a Remote Forensics System

File Format: PDF/Adobe Acrobat

6.1.1 Automate incident response **process**. 42. 6.1.2 **Collect data** in a forensically ...

software itself has not been automated. The **Agent**-based approach has ...

www.foundstone.com/resources/whitepapers/remote_forensics_systems.pdf - [Similar pages](#)

Verifying The Integrity Of Audio And Videotapes by Steve Cain ...

The examination **process** normally includes both an aural, physical, ... to withhold technical

data from a defendant challenging the integrity of electronic ...

expertpages.com/news/verifying_integrity.htm - 38k - [Cached](#) - [Similar pages](#)

MyFlexOnline

The PSP Reserves The Right To **Modify** Its Privacy Policy – The PSP reserves the ... of

State of the State of Missouri as your **agent** for service of **process**. ...

<https://www.myflexonline.com/Login%5CDisclaimer.aspx> - 53k - [Cached](#) - [Similar pages](#)

[PDF] Chapter 7 INSTRUMENTATION OF WEB SERVICES

File Format: PDF/Adobe Acrobat

Management **Agents monitor**, and control JMX manageable resources ... used this approach for **collecting data** from SOAP message exchanges. among web services. ... www.springerlink.com/index/l7571146g1333823.pdf - [Similar pages](#)

Google Groups results for monitor gather obtain collect data process agent software reconstruct modify process



[Big Med Archives: Bio-Sci-Tech - Big Medicine - Apr 2, 2007](#)

[MEETING OF THE DENTAL PRODUCTS PANEL, Monday, May 10 ... - alt.support.jaw-disorders - Jun 28, 1999](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5322	(monitor\$3 near4 (process\$1 component\$1 program\$1 application\$1) with (data information)) and agent\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:27
L2	116	L1 and ((re\$1construct\$3 re\$1model\$3) near5 (process\$2 component\$1 program\$1 application\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:27
L3	91	2 and ((gather collect\$3 obtain\$3) near5 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:29
L4	70	3 and ((modif\$5 chang\$3) near5 (process\$2 application\$1 program\$1 component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:31
S1	5322	(monitor\$3 near4 (process\$1 component\$1 program\$1 application\$1) with (data information)) and agent\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 13:47
S2	116	S1 and ((re\$1construct\$3 re\$1model\$3) near5 (process\$2 component\$1 program\$1 application\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 13:48
S3	6	S2 and ((collect\$3 obtain\$3) near5 (data information) with (condition\$1 (track\$3 near3 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:28
S4	79	S2 and ((collect\$3 obtain\$3) near5 (data information)) and (condition\$1 (track\$3 near3 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:03
S5	2	"6954680".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:04

EAST Search History

S6	5936	719/310,311-320,328-330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:04
S7	4	S2 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:05
S8	6	S2 and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:05